

KNX System (via ETS)

System programming offers premium KNX solution for large-scale and commercial projects requesting a whole range of functionalities.



| | |
|---|----|
| Interfaces | 3 |
| Visualisation | 4 |
| Switching | 5 |
| Dimming | 7 |
| Shutter/blinds control | 9 |
| Switch/blind combi actuator | 10 |
| HVAC | 12 |
| HVAC/blind combi actuator | 13 |
| Room actuator | 14 |
| Binary inputs | 15 |
| KNX presence detectors | 16 |
| KNX monitor sensors | 17 |
| KNX monitor sensors comfort | 19 |
| KNX room temperature control | 20 |
| KNX Touch Control | 21 |
| KNX Touch Sensors - Berker S.1 / B.x | 22 |
| KNX Touch Sensors - Berker Q.1 / Q.3 | 25 |
| KNX Touch Sensors - Berker K.1 / K.5 | 29 |
| KNX Touch Sensors - Berker R.1 / R.3 | 33 |
| KNX Touch Sensors - Berker B.IQ | 34 |
| KNX Touch Sensors - Berker TS Sensor | 36 |
| KNX Touch Sensors - Berker System TS | 39 |
| KNX Touch Sensors - Berker R.1 Touch Sensor | 41 |


| | |
|---|----|
| KNX Touch Sensors - Berker R.3 Touch Sensor | 43 |
| <hr/> | |
| Physical sensors | 45 |
| <hr/> | |
| tebis KNX | 46 |
| <hr/> | |
| Flush mounted inserts | 47 |
| <hr/> | |
| Accessories | 48 |
| <hr/> | |



TH210

IP / KNX Router

| Description | P.U. | Cat ref. |
|-------------------|------|---------------|
| Router IP/KNX | 1 | TH210 |
| Line coupler, KNX | 1 | TYF130 |



TJA560

IoT controller

| Description | P.U. | Cat ref. |
|----------------|------|---------------|
| IoT Controller | 1 | TJA560 |



TR131A

Media Coupler

| Description | P.U. | Cat ref. |
|---------------------------|------|---------------|
| Media coupler, white, KNX | 1 | TR131A |



TYA670D

DALI gateway/control

| Description | P.U. | Cat ref. |
|----------------------|------|----------------|
| KNX/EIB-DALI GATEWAY | 1 | TYA670D |




TYB708D

Universal interface

| Description | P.U. | Cat ref. |
|-----------------------------------|------|----------------|
| Universal interface 8gang comfort | 1 | TYB708D |

As simple as a touch, as smart as a thought, enjoy the best of home automation to manage your home.



TJA450

domovea visualisation

| Description | P.U. | Cat ref. |
|---------------------------------------|------|---------------|
| Local server visualisation/automation | 1 | TJA450 |



TJ659D

tebis visualisation software

| Description | P.U. | Cat ref. |
|---|------|---------------|
| Visualisation until 50 addresses - DE | 1 | TJ659D |
| Visualisation until 100 addresses - DE | 1 | TJ660D |
| Visualisation until 3200 addresses - DE | 1 | TJ661D |
| Visualisation over 300 addresses - DE | 1 | TJ662D |
| Visualisation Client version - DE | 1 | TJ663D |
| Visualisation design version - DE | 1 | TJ665D |



1-gang flush mounted

| Description | P.U. | Cat ref. |
|--|------|----------------|
| 1 flush mounted output 4A twisted pair | 1 | TYB601A |

TYB601A



2-gang flush mounted

| Description | P.U. | Cat ref. |
|--|------|----------------|
| 2 flush mounted output 4A twisted pair | 1 | TYB602A |
| 2 flush mounted output 4A twisted pair | 1 | TXB202A |


TYB602A



4-gang - RMD

| Description | P.U. | Cat ref. |
|-----------------------------------|------|----------------|
| Output 4 -fold 4A | 1 | TXA204A |
| Output 4 -fold 10A | 1 | TXA204B |
| Output 4 -fold 16A | 1 | TXA204C |
| Output 4 -fold 16A C-Load adapted | 1 | TXA204D |


TXA204A



6-gang - RMD

| Description | P.U. | Cat ref. |
|---------------------------------------|------|----------------|
| Output 6 -fold 16A current monitoring | 1 | TYA606E |
| Output 6 -fold 4A | 1 | TXA206A |
| Output 6 -fold 10A | 1 | TXA206B |
| Output 6 -fold 16A | 1 | TXA206C |
| Output 6 -fold 16A C-Load adapted | 1 | TXA206D |


TYA606E



8-gang - RMD

| Description | P.U. | Cat ref. |
|--|------|----------------|
| 8-fold output 4A/230V manu mode w/o bus | 1 | TXA208A |
| 8-fold output 10A/230V manu mode w/o bus | 1 | TXA208B |
| 8-fold output 16A/230V manu mode w/o bus | 1 | TXA208C |
| 8-fold output 16A/230V(C) manual w/o bus | 1 | TXA208D |

TXA208A

**10-gang - RMD**

| Description | P.U. | Cat ref. |
|---------------------|------|----------------|
| Output 10 -fold 4A | 1 | TXA207A |
| Output 10 -fold 10A | 1 | TXA207B |
| Output 10 -fold 16A | 1 | TXA207C |
| Output 10 -fold 16A | 1 | TXA207D |

TXA207A

**Light sensitive switch**

| Description | P.U. | Cat ref. |
|----------------------------------|------|---------------|
| Light sensitive switch with cell | 1 | TXA026 |

TXA026

**Time switch**

| Description | P.U. | Cat ref. |
|--|------|---------------|
| Weekly time switch EASY | 1 | TXA022 |
| Weekly time switch 2 channels with DCF | 1 | TXA023 |

TXA022



TYB691F

1-gang universal - flush mounted

| Description | P.U. | Cat ref. |
|--|------|----------------|
| Universal dim actuator 1gang 210W/VA flu | 1 | TYB691F |



TYA661A

1-gang universal - RMD

| Description | P.U. | Cat ref. |
|------------------------|------|----------------|
| Dimmer 1 channel 300W | 1 | TYA661A |
| Dimmer 1 channel 600W | 1 | TYA661B |
| Dimmer 1 channel 1000W | 1 | TXA215 |



TX211A

3-gang - RMD


| Description | P.U. | Cat ref. |
|------------------------|------|---------------|
| Dimmer 3 outputs 1/10V | 1 | TX211A |



TYB673A

3-gang; LED dimmer


| Description | P.U. | Cat ref. |
|-------------------------------|------|-----------------|
| KNX LED Controller 3 channels | 1 | TYB673A |
| KNX LED Controller 3 channels | 1 | TYB673B |
| Dimmer 3 channels 300W | 1 | TYA663AN |



TYA663A

3-gang universal - RMD

| Description | P.U. | Cat ref. |
|------------------------|------|----------------|
| Dimmer 3 channels 300W | 1 | TYA663A |

**4-gang universal - RMD**

Description

DIMMER 4 CHANNELS 300W

P.U.

1

Cat ref.

TYA664A

TYA664A



1-gang flush mounted

| Description | P.U. | Cat ref. |
|--|------|----------------|
| 1 flush mounted shutter/blind out. 230V~ | 1 | TYB621C |


TYB621C



TYA624A

4-gang - RMD

| Description | P.U. | Cat ref. |
|---|------|----------------|
| Output device for 4 shutters 230V~ | 1 | TYA624A |
| Output device for 4 shutters 24V DC | 1 | TYA624B |
| Output device for 4 shutters/blinds 230V~ | 1 | TYA624C |
| Output device for 4 shutters/blinds 24VDC | 1 | TYA624D |
| Output device for 4 shutters 230V~ | 1 | TXA223 |
| Output device for 4 shutters/blinds 230V~ | 1 | TXA224 |
| Output device for 4 shutters 24V DC | 1 | TXA225 |
| Output device for 4 shutters/blinds 24VDC | 1 | TXA226 |



TYA628A

8-gang - RMD

| Description | P.U. | Cat ref. |
|---|------|----------------|
| Output device for 8 shutters 230V~ | 1 | TYA628A |
| Output device for 8 shutters/blinds 230V~ | 1 | TYA628C |
| Output device for 8 shutters 230V~ | 1 | TXA227 |
| Output device for 8 shutters/blinds 230V~ | 1 | TXA228 |



TYB602F

2-gang switch / 1-gang blind/shutter (flush mounted)

| Description | P.U. | Cat ref. |
|--|------|----------------|
| Output module 2x 6A /230V~, flush, KNX | 1 | TYB602F |



TYA604A

4-gang switch / 2-gang blind/shutter (RMD)


| Description | P.U. | Cat ref. |
|-----------------------------------|------|----------------|
| Output module 4x 4A /230V~, KNX | 1 | TYA604A |
| Output module 4x 10A /230V~, KNX | 1 | TYA604B |
| Output module 4x 16A /230V~, KNX | 1 | TYA604C |
| Output 4 -fold 16A C-Load adapted | 1 | TYA604D |



TYA606A

6-gang switch / 3-gang blind/shutter (RMD)


| Description | P.U. | Cat ref. |
|-----------------------------------|------|----------------|
| Output module 6x 4A /230V~, KNX | 1 | TYA606A |
| Output module 6x 10A /230V~, KNX | 1 | TYA606B |
| Output module 6x 16A /230V~, KNX | 1 | TYA606C |
| Output 6 -fold 16A C-Load adapted | 1 | TYA606D |



TYA608A

8-gang switch / 4-gang blind/shutter (RMD)

| Description | P.U. | Cat ref. |
|-------------------------------------|------|----------------|
| Output module 8x 4A /230V~, KNX | 1 | TYA608A |
| Output module 8x 10A /230V~, KNX | 1 | TYA608B |
| Output module 8x 16A /230V~, KNX | 1 | TYA608C |
| Output module 8x 16A (C)/230V~, KNX | 1 | TYA608D |



TYA610A

10-gang switch / 5-gang blind/shutter (RMD)


| Description | P.U. | Cat ref. |
|--------------------------------------|------|----------------|
| Output module 10x 4A /230V~, KNX | 1 | TYA610A |
| Output module 10x 10A /230V~, KNX | 1 | TYA610B |
| Output module 10x 16A /230V~, KNX | 1 | TYA610C |
| Output module 10x 16A (C)/230V~, KNX | 1 | TYA610D |



16-gang switch / 8-gang blind/shutter (RMD)

| Description | P.U. | Cat ref. |
|------------------------------------|------|----------------|
| OUTPUT 16 -FOLD 16A C-LOAD ADAPTED | 1 | TYM616D |


TYM616D



20-gang switch / 10-gang blind/shutter (RMD)

| Description | P.U. | Cat ref. |
|------------------------------------|------|----------------|
| OUTPUT 20 -FOLD 16A C-LOAD ADAPTED | 1 | TYM620D |

TYM620D



6-gang 24V

| Description | P.U. | Cat ref. |
|-----------------------------|------|---------------|
| Heating actuator 6 channels | 1 | TX206H |

TX206H



Fancoil output

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| Fancoil 2 outputs 10A hand status | 1 | TYF642F |
| Fan coil actuator, 2-gang, 10 A, NO con | 1 | 75312012 |

TYF642F



Heating output

| Description | P.U. | Cat ref. |
|--|------|----------------|
| KNX Heating output 6 gang triac 24 /230V | 1 | TYF656T |

TYF656T



Valve actuator

| Description | P.U. | Cat ref. |
|---|------|----------------|
| Valve actuator KNX + 2 reserve inputs | 1 | TX501 |
| Valve actuator with temperature control | 1 | TX502 |
| KNX/EIB-DALI GATEWAY | 1 | TYA670D |
| Output module 10x 4A /230V~, KNX | 1 | TYA610A |

TX501



TYB692C

1-gang heating / 1-gang blind actuator (flush mounted)

Description

Window interface 1/1gang flush-mounted

P.U. Cat ref.

1 **TYB692C**



TYF646M

Room actuator

Description

Room actuator 4/2gang 16 A NO contact, m

P.U. Cat ref.

1 **TYF646M**



TXA304

Flush mounted

| Description | P.U. | Cat ref. |
|---------------------------------------|------|---------------|
| Input device 4 -fold 230V~ | 1 | TXA304 |
| Flush mounted input device 2 -fold | 1 | TXB302 |
| Flush mounted input device 4 -fold | 1 | TXB304 |
| Flush mounted input+LED output 4-fold | 1 | TXB344 |



TXA306

RMD 230V

| Description | P.U. | Cat ref. |
|--------------------------------|------|---------------|
| Input device 6 -fold universal | 1 | TXA306 |
| Input device 10 -fold 230V~ | 1 | TXA310 |
| Input device 4 -fold 230V~ | 1 | TXA304 |



With 1 channel

| Description | P.U. | Cat ref. |
|--------------------------------------|------|----------------|
| EIB Presence det+Light Regulation | 1 | TXC511 |
| EIB Presence detector | 1 | TX510 |
| Presence det. 360° monobloc KNX/DALI | 1 | TCC521E |
| Presence det. 360° KNX | 1 | TCC510S |

TXC511



With integrated switch output

| Description | P.U. | Cat ref. |
|---------------------------------------|------|----------------|
| Presence det. 360° monobloc KNX | 1 | TCC520E |
| Presence det. 360° KNX multi-channels | 1 | TCC530E |

TCC520E



With 2 channels

| Description | P.U. | Cat ref. |
|-----------------------|------|--------------|
| EIB Presence detector | 1 | TX510 |

TX510



With integrated DALI output

| Description | P.U. | Cat ref. |
|--------------------------------------|------|----------------|
| Presence det. 360° monobloc KNX/DALI | 1 | TCC521E |

TCC521E



With multi channels

| Description | P.U. | Cat ref. |
|---------------------------------------|------|----------------|
| Presence det. 360° KNX multi-channels | 1 | TCC530E |

TCC530E

**Berker S.1 / B.x (1.1 m)**

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| Monitor sensor 18 Berker S.1/B.3/B. pol | 1 | 75261159 |
| Monitor sensor 18 Berker B.3/B. anthrac | 1 | 75261185 |

75261159

**Berker S.1 / B.x (2.2 m)**

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| Monitor sensor 18 Berker S.1/B.3/B. pol | 1 | 75261259 |
| Monitor sensor 18 Berker S.1/B.3/B. pol | 1 | 75261289 |

75261259

**Berker Q.1 / Q.3 (1.1 m)**

| Description | P.U. | Cat ref. |
|------------------------------|------|-----------------|
| WÄCH-SENS 180 IB EIB Q1 ANTH | 1 | 75261126 |

75261126

**Berker Q.1 / Q.3 (2.2 m)**


| Description | P.U. | Cat ref. |
|------------------------------|------|-----------------|
| WÄCH-SENS 180 IB EIB Q1 ANTH | 1 | 75261226 |

75261226

**Berker K.1 / K.5 (1.1 m)**

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| IB EIB WÄCH-SENS 180 K5 ALU | 1 | 75261171 |
| Monitor sensor 18 Berker K. stainless s | 1 | 75261173 |
| B EIB WÄCH-SENS KOMF180 K5 ALU | 1 | 75261571 |
| Monitor sensor 180 comfor with slide sw | 1 | 75261573 |
| Monitor sensor 180 comfor with slide sw | 1 | 75261575 |

75261171

**Berker K.1 / K.5 (2.2 m)**

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| IB EIB WÄCH-SENS 180 K5 ALU | 1 | 75261271 |
| Monitor sensor 18 Berker K. stainless s | 1 | 75261273 |
| IB EIB WÄCH-SENS KOMF180 K5 ALU | 1 | 75261671 |
| Monitor sensor 180 comfor with slide sw | 1 | 75261673 |

75261271

**Berker S.1 / B.x (1.1 m)**

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| Monitor sensor 180 comfor with slide sw | 1 | 75261559 |
| Monitor sensor 180 comfor with slide sw | 1 | 75261583 |
| Monitor sensor 180 comfor with slide sw | 1 | 75261585 |
| Monitor sensor 180 comfor with slide sw | 1 | 75261589 |

75261559

**Berker S.1 / B.x (2.2 m)**

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| Monitor sensor 180 comfor with slide sw | 1 | 75261659 |

75261659

**Berker Q.1 / Q.3 (1.1 m)**

| Description | P.U. | Cat ref. |
|-----------------------------------|------|-----------------|
| WÄCH-SENS KOMF 180 IB EIB Q1 ANTH | 1 | 75261526 |
| WÄCH-SENS KOMF 180 IB EIB Q1 P-W | 1 | 75261529 |

75261526

**Berker Q.1 / Q.3 (2.2 m)**

| Description | P.U. | Cat ref. |
|-----------------------------------|------|-----------------|
| WÄCH-SENS KOMF 180 IB EIB Q1 ANTH | 1 | 75261626 |

75261626



KNX room temperature control

| Description | P.U. | Cat ref. |
|---------------------------------------|------|---------------|
| Temperature probe for TX320 tebis | 1 | EK087 |
| Roomthermostat KNX | 1 | TX320 |
| Room controler Tebis white | 1 | TX450A |
| Room controler Tebis silver | 1 | TX450B |
| Environ. Contr. and regulation White | 1 | TX460A |
| Environ. Contr. and regulation Silver | 1 | TX460B |

EK087



KNX Touch Control display panel

| Description | P.U. | Cat ref. |
|------------------------|------|-----------------|
| KNX Touch Control 3.5" | 1 | 75740101 |

75740101



13191909

KNX Touch Control - Design frames, angular

| Description | P.U. | Cat ref. |
|---------------------------------------|------|-----------------|
| Design frame, angular, P-W MAT | 1 | 13191909 |
| DES RA F AUDIO EGR R3 E-STAHL | 1 | 13192204 |
| DES RA F AUDIO EGR R3 SCHW | 1 | 13192245 |
| DES RA F AUDIO EGR R3 ALU | 1 | 13192284 |
| Design frame angular, Stainless steel | 1 | 13193606 |
| DES RA F AUDIO EGR B7 GLAS ALU | 1 | 13196414 |
| DES RA F AUDIO EGR B7 GLAS SCHW | 1 | 13196616 |
| DES RA F AUDIO EGR B7 GLAS P-W | 1 | 13196909 |
| DES RA F AUDIO EGR K1 ANTH | 1 | 13197006 |
| DES RA F AUDIO EGR K1 P-W | 1 | 13197009 |
| DES RA F AUDIO EGR S1 WEIß | 1 | 13198982 |



13192104

KNX Touch Control - Design frames, round

| Description | P.U. | Cat ref. |
|----------------------------------|------|-----------------|
| DES RA F AUDIO RD R1 E-STAHL | 1 | 13192104 |
| DES RA F AUDIO RD R1 GLAS P-W | 1 | 13192109 |
| DES RA F AUDIO RD R1 GLAS SCHW | 1 | 13192116 |
| DES RA F AUDIO RD R1 SCHW | 1 | 13192145 |
| DES RA F AUDIO RD R1 ALU | 1 | 13192184 |
| DES RA F AUDIO RD R1 P-W | 1 | 13192189 |
| DES RA F AUDIO RD Q1 WEIß | 1 | 13196082 |
| FRAME Audio Round Silver Matt | 1 | 13196084 |
| DES RA F AUDIO RD Q1 ANTH | 1 | 13196086 |
| Frame Audio Round White Po. Matt | 1 | 13196089 |



75161385

Push button 1-gang

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| Push-button, 1-gang, with labelling fie | 1 | 75161385 |
| Push-button, 1-gang comfort, with label | 1 | 75161780 |
| Push-button, 1-gang comfort, with label | 1 | 75161785 |
| S/B-KNXPB.1g.2PB.KNX-TP+EASY.FPL.w/pw | 1 | 80161780 |
| S/B-KNXPB.1g.2PB.KNX-TP+EASY.FPL.al/anth | 1 | 80161785 |



80141180

Push button 1-gang module BAU

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| S.x.Bx.PB-modul.TP+EASY.1g.2PB..withBCU | 1 | 80141180 |



80960282

Cover for push button BAU 1-gang

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| S.x, PB - cover 1G, for PB-module, w | 1 | 80960282 |
| S.x, PB - cover 1G, for PB-module, pw | 1 | 80960289 |
| S.x, PB - cover 1G, for PB-module, anth | 1 | 80960285 |
| S.x, PB - cover 1G, for PB-module, alu | 1 | 80960283 |



75162385

Push button 2-gang

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| Push-button, 2-gang, with labelling fie | 1 | 75162385 |
| Push-button, 2-gang comfort, with label | 1 | 75162780 |
| Push-button, 2-gang comfort, with label | 1 | 75162785 |
| S/B-KNXPB.2g.4PB.KNX-TP+EASY.FPL.w/pw | 1 | 80162780 |
| S/B-KNXPB.2g.4PB.KNX-TP+EASY.FPL.al/anth | 1 | 80162785 |



75662780

Push button 2-gang with RTC

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| Push-button, 2-gang, with room thermost | 1 | 75662780 |
| Push-button, 2-gang, with room thermost | 1 | 75662785 |



80142180

Push button 2-gang module BAU

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| S.x.Bx.PB-modul.TP+EASY.2g.4PB..withBCU | 1 | 80142180 |



80960382

Cover for push button BAU 2-gang

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| S.x, PB - cover 2G, for PB-module, w | 1 | 80960382 |
| S.x, PB - cover 2G, for PB-module, pw | 1 | 80960389 |
| S.x, PB - cover 2G, for PB-module, anth | 1 | 80960385 |
| S.x, PB - cover 2G, for PB-module, alu | 1 | 80960383 |



75163385

Push button 3-gang

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| Push-button, 3-gang, with labelling fie | 1 | 75163385 |
| Push-button, 3-gang comfort, with label | 1 | 75163780 |
| Push-button, 3-gang comfort, with label | 1 | 75163785 |
| S/B-KNXPB.3g.6PB.KNX-TP+EASY.FPL.w/pw | 1 | 80163780 |
| S/B-KNXPB.3g.6PB.KNX-TP+EASY.FPL.al/anth | 1 | 80163785 |



75663780

Push button 3-gang with RTC

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| Push-button, 3-gang, with room thermost | 1 | 75663780 |
| Push-button, 3-gang, with room thermost | 1 | 75663785 |



75164780

Push button 4-gang

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| Push-button, 4-gang comfort, with label | 1 | 75164780 |
| Push-button, 4-gang comfort, with label | 1 | 75164785 |
| S/B-KNXPB.4g.8PB.KNX-TP+EASY.FPL.w/pw | 1 | 80164780 |
| S/B-KNXPB.4g.8PB.KNX-TP+EASY.FPL.al/anth | 1 | 80164785 |



75665785

Push button 5-gang with RTC

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| Push-button, 5-gang, with room thermost | 1 | 75665785 |



80440100

Thermostat

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| KNX thermostat w. TFT display, int. BAU | 1 | 80440100 |
| Thermostat with push-button interfac an | 1 | 75441152 |
| Thermostat with push-button interfac an | 1 | 75441159 |
| Thermostat with push-button interfac an | 1 | 75441185 |
| Object thermostat with push-button inte | 1 | 75441285 |



80660100

KNX Room Control


| Description | P.U. | Cat ref. |
|---|------|-----------------|
| KNX room controller w. TFT display, BAU | 1 | 80660100 |



80960182

Cover for KNX Temperature- & Room Control


| Description | P.U. | Cat ref. |
|-------------------------------------|------|-----------------|
| ATC deco cover S.x/B.x white glossy | 1 | 80960182 |
| ATC deco cover S.x/B.x pw glossy | 1 | 80960189 |
| ATC deco cover S.x/B.x pw matt | 1 | 80960180 |
| ATC deco cover S.x/B.x anthracite | 1 | 80960185 |
| ATC deco cover S.x/B.x aluminium | 1 | 80960183 |



75141226

Push button 1-gang

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| TA-SENS 1F M BSF Q1 ANTH | 1 | 75141226 |
| TA-SENS KOMF 1F M BSF Q1 ANTH | 1 | 75141326 |
| Q.x-KNXPB.1g.2PB.KNX-TP+EASY.FPL.pw. | 1 | 80141329 |
| Q.x-KNXPB.1g.2PB.KNX-TP+EASY.FPL.anth. | 1 | 80141326 |



80141170

Push button 1-gang module BAU


| Description | P.U. | Cat ref. |
|---------------------------------------|------|-----------------|
| K.x..PB-modul.TP+EASY.1g.2PB..withBCU | 1 | 80141170 |



80960229

Cover for push button BAU 1-gang


| Description | P.U. | Cat ref. |
|---|------|-----------------|
| Q.x, PB - cover 1G, for PB-module, pw | 1 | 80960229 |
| Q.x, PB - cover 1G, for PB-module. anth | 1 | 80960226 |



75142226

Push button 2-gang

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| TA-SENS 2F M BSF Q1 ANTH | 1 | 75142226 |
| TA-SENS KOMF 2F M BSF Q1 ANTH | 1 | 75142326 |
| Q.x-KNXPB.2g.4PB.KNX-TP+EASY.FPL.pw. | 1 | 80142329 |
| Q.x-KNXPB.2g.4PB.KNX-TP+EASY.FPL.anth. | 1 | 80142326 |



75662726

Push button 2-gang with RTC

| Description | P.U. | Cat ref. |
|-------------------------------------|------|-----------------|
| TA-SENS 2F M RTR, DIS U BSF Q1 ANTH | 1 | 75662726 |
| TA-SENS 2F M RTR, DIS U BSF Q1 P-W | 1 | 75662729 |



Push button 2-gang module BAU

| Description | P.U. | Cat ref. |
|--------------------------------------|------|-----------------|
| K.x.PB-modul.TP+EASY.2g.4PB..withBCU | 1 | 80142170 |


80142170



Cover for push button BAU 2-gang

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| Q.x, PB - cover 2G, for PB-module, pw | 1 | 80960329 |
| Q.x, PB - cover 2G, for PB-module, anth | 1 | 80960326 |

80960329



Push button 3-gang

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| TA-SENS 3F M BSF Q1 ANTH | 1 | 75143226 |
| TS-SENS KOMF 3F M BSF Q1 ANTH | 1 | 75143326 |
| Pushbutton 3gang comfort with BCU | 1 | 75143329 |
| Q.x-KNXPB.3g.6PB.KNX-TP+EASY.FPL.pw. | 1 | 80143329 |
| Q.x-KNXPB.3g.6PB.KNX-TP+EASY.FPL.anth. | 1 | 80143326 |




75143226



Push button 3-gang with RTC

| Description | P.U. | Cat ref. |
|-------------------------------------|------|-----------------|
| TA-SENS 3F M RTR, DIS U BSF Q1 ANTH | 1 | 75663726 |

75663726



Push button 4-gang

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| TA-SENS 4F M BSF Q1 ANTH | 1 | 75144226 |
| PB 4g w/labelling fields & BCU | 1 | 75144229 |
| TA-SENS KOMF 4F M BSF Q1 ANTH | 1 | 75144326 |
| Pushbutton 4gang comfort with BCU | 1 | 75144329 |
| Q.x-KNXPB.4g.8PB.KNX-TP+EASY.FPL.pw. | 1 | 80144329 |
| Q.x-KNXPB.4g.8PB.KNX-TP+EASY.FPL.anth. | 1 | 80144326 |



75144226



75665726

Push button 5-gang with RTC

| Description | P.U. | Cat ref. |
|-------------------------------------|------|-----------------|
| TA-SENS 5F M RTR, DIS U BSF Q1 ANTH | 1 | 75665726 |



80440100

Thermostat

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| KNX thermostat w. TFT display, int. BAU | 1 | 80440100 |
| RTR M TA-SST IB Q1 ANTH | 1 | 75441126 |
| OBJEKT-RTR M TA-SST IB Q1 ANTH | 1 | 75441226 |



80660100

KNX Room Control

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| KNX room controller w. TFT display, BAU | 1 | 80660100 |



80960129

Cover for KNX Temperature- & Room Control

| Description | P.U. | Cat ref. |
|---------------------------------------|------|-----------------|
| ATC deco cover Q.x pw velvety | 1 | 80960129 |
| ATC deco cover Q.x anthracite velvety | 1 | 80960126 |



75860026

Info Display

| Description | P.U. | Cat ref. |
|------------------|------|-----------------|
| INFO-DIS Q1 ANTH | 1 | 75860026 |



Blank plate

| Description | P.U. | Cat ref. |
|----------------------------|------|-----------------|
| BLINDV F BA IB EIB Q1 ANTH | 1 | 75940226 |


75940226



Push button 1-gang

75161370

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| Push-button, 1-gang, with labelling fie | 1 | 75161370 |
| Push-button, 1-gang, with labelling fie | 1 | 75161373 |
| Push-button, 1-gang comfort, with label | 1 | 75161770 |
| Push-button, 1-gang comfort, with label | 1 | 75161773 |
| Push-button, 1-gang comfort, with label | 1 | 75161774 |
| K.x-KNXPB.1g.2PB.KNX-TP+EASY.FPL.pw. | 1 | 80161770 |
| K.x-KNXPB.1g.2PB.KNX-TP+EASY.FPL.anth. | 1 | 80161776 |
| K.x-KNXPB.1g.2PB.KNX-TP+EASY.FPL..alu | 1 | 80161774 |
| K.x-KNXPB.1g.2PB.KNX-TP+EASY.FPL.steel | 1 | 80161773 |



80141170

Push button 1-gang module BAU


| Description | P.U. | Cat ref. |
|---------------------------------------|------|-----------------|
| K.x..PB-modul.TP+EASY.1g.2PB..withBCU | 1 | 80141170 |



80960279

Cover for push button BAU 1-gang


| Description | P.U. | Cat ref. |
|---|------|-----------------|
| K.x, PB - cover 1G, for PB-module, pw | 1 | 80960279 |
| K.x, PB - cover 1G, for PB-module, anth | 1 | 80960275 |
| K.x, PB - cover 1G, for PB-module, alu | 1 | 80960271 |
| K.x, PB - cover 1G, for PB-mod., st-steel | 1 | 80960273 |



75162370

Push button 2-gang

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| Push-button, 2-gang, with labelling fie | 1 | 75162370 |
| Push-button, 2-gang, with labelling fie | 1 | 75162373 |
| Push-button, 2-gang comfort, with label | 1 | 75162770 |
| Push-button, 2-gang comfort, with label | 1 | 75162773 |
| Push-button, 2-gang comfort, with label | 1 | 75162774 |
| Push-button, 2-gang comfort, with label | 1 | 75162775 |
| K.x-KNXPB.2g.4PB.KNX-TP+EASY.FPL.pw. | 1 | 80162770 |
| K.x-KNXPB.2g.4PB.KNX-TP+EASY.FPL.anth. | 1 | 80162776 |
| K.x-KNXPB.2g.4PB.KNX-TP+EASY.FPL..alu | 1 | 80162774 |
| K.x-KNXPB.2g.4PB.KNX-TP+EASY.FPL.steel | 1 | 80162773 |



75662770

Push button 2-gang with RTC


| Description | P.U. | Cat ref. |
|---|------|-----------------|
| Push-button, 2-gang, with room thermost | 1 | 75662770 |
| Push-button, 2-gang, with room thermost | 1 | 75662773 |
| Push-button, 2-gang, with room thermost | 1 | 75662775 |



80142170

Push button 2-gang module BAU

| Description | P.U. | Cat ref. |
|--------------------------------------|------|-----------------|
| K.x.PB-modul.TP+EASY.2g.4PB..withBCU | 1 | 80142170 |



80960379

Cover for push button BAU 2-gang

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| K.x, PB - cover 2G, for PB-module, pw | 1 | 80960379 |
| K.x, PB - cover 2G, for PB-module, anth | 1 | 80960375 |
| K.x, PB - cover 2G, for PB-module, alu | 1 | 80960371 |
| K.x, PB - cover 2G, for PB-mod., st-steel | 1 | 80960373 |



75163370

Push button 3-gang

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| Push-button, 3-gang, with labelling fie | 1 | 75163370 |
| Push-button, 3-gang, with labelling fie | 1 | 75163373 |
| Push-button, 3-gang comfort, with label | 1 | 75163770 |
| Push-button, 3-gang comfort, with label | 1 | 75163773 |
| Push-button, 3-gang comfort, with label | 1 | 75163774 |
| Push-button, 3-gang comfort, with label | 1 | 75163775 |
| K.x-KNXPB.3g.6PB.KNX-TP+EASY.FPL.pw. | 1 | 80163770 |
| K.x-KNXPB.3g.6PB.KNX-TP+EASY.FPL.anth. | 1 | 80163776 |
| K.x-KNXPB.3g.6PB.KNX-TP+EASY.FPL.alu | 1 | 80163774 |
| K.x-KNXPB.3g.6PB.KNX-TP+EASY.FPL.steel | 1 | 80163773 |



75663770

Push button 3-gang with RTC

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| Push-button, 3-gang, with room thermost | 1 | 75663770 |
| Push-button, 3-gang, with room thermost | 1 | 75663773 |
| Push-button, 3-gang, with room thermost | 1 | 75663775 |



75164370

Push button 4-gang

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| Push-button, 4-gang, with labelling fie | 1 | 75164370 |
| Push-button, 4-gang, with labelling fie | 1 | 75164373 |
| Push-button, 4-gang comfort, with label | 1 | 75164770 |
| Push-button, 4-gang comfort, with label | 1 | 75164773 |
| Push-button, 4-gang comfort, with label | 1 | 75164774 |
| Push-button, 4-gang comfort, with label | 1 | 75164775 |
| K.x-KNXPB.4g.8PB.KNX-TP+EASY.FPL.pw. | 1 | 80164770 |
| K.x-KNXPB.4g.8PB.KNX-TP+EASY.FPL.anth. | 1 | 80164776 |
| K.x-KNXPB.4g.8PB.KNX-TP+EASY.FPL.alu | 1 | 80164774 |
| K.x-KNXPB.4g.8PB.KNX-TP+EASY.FPL.steel | 1 | 80164773 |



75665770

Push button 5-gang with RTC

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| Push-button, 5-gang, with room thermost | 1 | 75665770 |
| Push-button, 5-gang, with room thermost | 1 | 75665773 |



80440100

Thermostat

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| KNX thermostat w. TFT display, int. BAU | 1 | 80440100 |
| RTR M TA-SST IB K5 ALU | 1 | 75441171 |
| Thermostat with push-button interfac an | 1 | 75441173 |
| Thermostat with push-button interfac an | 1 | 75441179 |
| OBJEKT-RTR M TA-SST IB K5 ALU | 1 | 75441271 |
| Object thermostat with push-button inte | 1 | 75441273 |
| Object thermostat with push-button inte | 1 | 75441275 |
| Object thermostat with push-button inte | 1 | 75441279 |



80660100

KNX Room Control

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| KNX room controller w. TFT display, BAU | 1 | 80660100 |



80960179

Cover for KNX Temperature- & Room Control

| Description | P.U. | Cat ref. |
|-------------------------------|------|-----------------|
| ATC deco cover K.x pw glossy | 1 | 80960179 |
| ATC deco cover K.x anthracite | 1 | 80960175 |
| ATC deco cover K.x aluminium | 1 | 80960171 |



75860071

Info Display

| Description | P.U. | Cat ref. |
|--------------------|------|-----------------|
| INFO-DIS IB K5 ALU | 1 | 75860071 |





Blank plate

Description

IB EIB BLINDV K5 ALU

P.U.


Cat ref.

1

75940271




75940271

**1-gang**

| Description | P.U. | Cat ref. |
|--------------------------------------|------|-----------------|
| WIP 1F KNX R.X SCHW | 1 | 75161865 |
| WIP 1F KNX R.X P-W | 1 | 75161869 |
| R.x-KNXPB.1g.2PB.KNX-TP+EASY.FPL.pw. | 1 | 80161869 |
| R.x-KNXPB.1g.2PB.KNX-TP+EASY.FPL.sw | 1 | 80161865 |


75161865

**2-gang**

| Description | P.U. | Cat ref. |
|--------------------------------------|------|-----------------|
| WIP 2F KNX R.X SCHW | 1 | 75162865 |
| WIP 2F KNX R.X P-W | 1 | 75162869 |
| R.x-KNXPB.2g.4PB.KNX-TP+EASY.FPL.pw. | 1 | 80162869 |
| R.x-KNXPB.2g.4PB.KNX-TP+EASY.FPL.sw | 1 | 80162865 |

75162865

A wide array of alternative materials and colours have been added to the convenient variety of KNX functionality of the Berker B.IQ.



75161090

1-gang

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| B.IQ Push Button 1G Glass Polar White | 1 | 75161090 |
| Push-button, 1-gan B.I glass, polar whi | 1 | 75161091 |
| B.IQ Push Button 1G Glass Black | 1 | 75161092 |
| B.IQ Push Button 1G Brushed Stainless | 1 | 75161093 |
| TASTSENSOR 1FACH STANDARD B.IQ ALU STA.. | 1 | 75161094 |
| B.IQ Push Button 1G Matt Polar White | 1 | 75161099 |
| B.IQ Push Button Comf 1G Glass Polar Whi | 1 | 75161590 |
| Push-button, 1-gang comfor B.I glass, p | 1 | 75161591 |
| B.IQ Push Button Comfort 1G Glass Black | 1 | 75161592 |
| B.IQ Push Button Comf 1G Brush Stainless | 1 | 75161593 |
| TASTSENSOR 1FACH KOMFORT B.IQ ALU KOMF.. | 1 | 75161594 |
| B.IQ Push Button Comf 1G Matt Polar Whi | 1 | 75161599 |



75162090

2-gang


| Description | P.U. | Cat ref. |
|--|------|-----------------|
| B.IQ Push Button 2G Glass Polar White | 1 | 75162090 |
| Push-button, 2-gan B.I glass, polar whi | 1 | 75162091 |
| B.IQ Push Button 2G Glass Black | 1 | 75162092 |
| B.IQ Push Button 2G Brushed Stainless | 1 | 75162093 |
| TASTSENSOR 2FACH STANDARD B.IQ ALU STA.. | 1 | 75162094 |
| B.IQ Push Button 2G Matt Polar White | 1 | 75162099 |
| B.IQ Push Button Comf 2G Glass Polar Whi | 1 | 75162590 |
| Push-button, 2-gang comfor B.I glass, p | 1 | 75162591 |
| B.IQ Push Button Comfort 2G Glass Black | 1 | 75162592 |
| B.IQ Push Button Comf 2G Brush Stainless | 1 | 75162593 |
| TASTSENSOR 2FACH KOMFORT B.IQ ALU KOMF.. | 1 | 75162594 |
| B.IQ Push Button Comf 2G Matt Polar Whi | 1 | 75162599 |



75163090

3-gang

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| B.IQ Push Button 3G Glass Polar White | 1 | 75163090 |
| Push-button, 3-gan B.I glass, polar whi | 1 | 75163091 |
| B.IQ Push Button 3G Glass Black | 1 | 75163092 |
| B.IQ Push Button 3G Brushed Stainless | 1 | 75163093 |
| TASTSENSOR 3FACH STANDARD B.IQ ALU STA.. | 1 | 75163094 |
| B.IQ Push Button 3G Matt Polar White | 1 | 75163099 |
| B.IQ Push Button Comf 3G Glass Polar Whi | 1 | 75163590 |
| Push-button, 3-gang comfor B.I glass, p | 1 | 75163591 |
| B.IQ Push Button Comfort 3G Glass Black | 1 | 75163592 |
| B.IQ Push Button Comf 3G Brush Stainless | 1 | 75163593 |
| TASTSENSOR 3FACH KOMFORT B.IQ ALU KOMF.. | 1 | 75163594 |
| B.IQ Push Button Comf 3G Matt Polar Whi | 1 | 75163599 |



75663590

3-gang with thermostat

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| B.IQ Push Button Stat 3G Glass Polar Whi | 1 | 75663590 |
| Push-button, 3-gang, with thermostat an | 1 | 75663591 |
| B.IQ Push Button Stat 3G Glass Black | 1 | 75663592 |
| B.IQ Push Button Stat 3G Brush Stainless | 1 | 75663593 |
| TASTSENSOR 3FACH MIT RAUMTEMPERATURREG.. | 1 | 75663594 |
| B.IQ Push Button Stat 3G Matt Polar Whi | 1 | 75663599 |
| B.IQ IR Push Button Stat 3G Glass Pol Wh | 1 | 75663690 |
| IR push-button, 3-gang, with thermostat | 1 | 75663691 |
| B.IQ IR Push Button Stat 3G Glass Black | 1 | 75663692 |
| B.IQ IR Push Button Stat 3G Br Stainless | 1 | 75663693 |
| IR-TASTSENSOR 3FACH MIT RAUMTEMPERATUR.. | 1 | 75663694 |
| B.IQ IR Push Button Stat, 3G Matt Pol Wh | 1 | 75663699 |



75164090

4-gang

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| B.IQ Push Button 4G Glass Polar White | 1 | 75164090 |
| B.IQ Push Button 4G Glass Black | 1 | 75164092 |
| TASTSENSOR 4FACH STANDARD B.IQ ALU STA.. | 1 | 75164094 |
| B.IQ Push Button 4G Matt Polar White | 1 | 75164099 |
| B.IQ Push Button Comf 4G Glass Polar Whi | 1 | 75164590 |
| Push-button, 4-gang comfor B.I glass, p | 1 | 75164591 |
| B.IQ Push Button Comfort 4G Glass Black | 1 | 75164592 |
| B.IQ Push Button Comf 4G Brush Stainless | 1 | 75164593 |
| TASTSENSOR 4FACH KOMFORT B.IQ ALU KOMF.. | 1 | 75164594 |
| B.IQ Push Button Comf 4G Matt Polar Whi | 1 | 75164599 |
| B.IQ P.B 4G Light Scenes Glass Polar Whi | 1 | 75168690 |



75664590

4-gang with thermostat


| Description | P.U. | Cat ref. |
|--|------|-----------------|
| B.IQ Push Button Stat 4G Glass Polar Whi | 1 | 75664590 |
| Push-button, 4-gang, with thermostat an | 1 | 75664591 |
| B.IQ Push Button Stat 4G Glass Black | 1 | 75664592 |
| B.IQ Push Button Stat 4G Brush Stainless | 1 | 75664593 |
| TASTSENSOR 4FACH MIT RAUMTEMPERATURREG.. | 1 | 75664594 |
| B.IQ Push Button Stat 4G Matt Polar Whi | 1 | 75664599 |
| B.IQ IR Push Button Stat 4G Glass Pol Wh | 1 | 75664690 |
| B.IQ IR Push Button Stat 4G Glass Black | 1 | 75664692 |
| B.IQ IR Push Button Stat 4G Br Stainless | 1 | 75664693 |
| IR-TASTSENSOR 4FACH MIT RAUMTEMPERATUR.. | 1 | 75664694 |
| B.IQ IR Push Button Stat, 4G Matt Pol Wh | 1 | 75664699 |



75665590

5-gang with thermostat

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| B.IQ Push Button Stat 5G Glass Polar Whi | 1 | 75665590 |
| Push-button, 5-gang, with thermostat an | 1 | 75665591 |
| B.IQ Push Button Stat 5G Glass Black | 1 | 75665592 |
| B.IQ Push Button Stat 5G Brush Stainless | 1 | 75665593 |
| TASTSENSOR 5FACH MIT RAUMTEMPERATURREG.. | 1 | 75665594 |
| B.IQ Push Button Stat 5G Matt Polar Whi | 1 | 75665599 |
| B.IQ IR Push Button Stat 5G Glass Pol Wh | 1 | 75665690 |
| B.IQ IR Push Button Stat 5G Glass Black | 1 | 75665692 |
| IR-TASTSENSOR 5FACH MIT RAUMTEMPERATUR.. | 1 | 75665694 |



75168692

Lightscene 8-gang

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| Lightscene PB 8g comfort B.IQ glass, PW | 1 | 75168691 |
| IB@ EIB B.IQ LSZTS GLAS SCHW | 1 | 75168692 |
| Lightscene PB 8g comfort B.IQ S/steel | 1 | 75168693 |
| LICHTSZENENTASTSENSOR 8FACH KOMFORT B... | 1 | 75168694 |



75900080

Labeling field

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| B.IQ Labeling Field 1-3 Gang | 1 | 75900080 |
| Labelling field for B.IQ push-buttons, | 1 | 75900081 |
| Labelling field for B.IQ push-buttons, | 1 | 75900082 |

Up to eight functions are concealed under a pure surface that is practically flush with the wall, and can be custom-labelled on request. A single touch is all it takes to control lights, heating or blinds.



1-gang

| Description | P.U. | Cat ref. |
|---|------|---------------|
| TS Sensor, Glass 1-Gang, Polar White | 1 | 168100 |
| TS Sensor, Glass 1-Gang, Black | 1 | 168105 |
| TS Sensor, Glass 1-Gang, Aluminium | 1 | 168107 |
| Glass sensor, 1gan Berker TS Senso glas | 1 | 168109 |
| TS Sensor, 1-Gang, Config, Polar White | 1 | 169100 |
| TS Sensor, 1-Gang, Configured, Black | 1 | 169105 |

168100



1-gang (integrated bus coupler)

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| TS Sensor, IBC, 1G Comfort, Polar White | 1 | 75141830 |
| TS Sensor IBC 1G Comf Conf Polar White | 1 | 75141930 |

75141830



2-gang

| Description | P.U. | Cat ref. |
|---|------|---------------|
| TS Sensor, Glass 2-Gang, Polar White | 1 | 168200 |
| TS Sensor, Glass 2-Gang, Black | 1 | 168205 |
| TS Sensor, Glass 2-Gang, Aluminium | 1 | 168207 |
| Glass sensor, 2gan Berker TS Senso glas | 1 | 168209 |
| TS Sensor, 2-Gang, Config, Polar White | 1 | 169200 |
| TS Sensor, 2-Gang, Configured, Black | 1 | 169205 |

168200



2-gang (integrated bus coupler)

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| TS Sensor IBC 2G Comfort, Polar White | 1 | 75142830 |
| TS Sensor IBC 2G Comf Conf Polar White | 1 | 75142930 |

75142830



2-gang with thermostat (integrated bus coupler)

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| TS Sensor IBC Stat 2G Glass Polar White | 1 | 75642030 |
| TS Sensor IBC Stat 2-Gang Glass Black | 1 | 75642035 |
| Glass sensor, 2-gang, with thermosta Be | 1 | 75642039 |
| TS Sensor IBC Stat Conf 2G Glass Pol Whi | 1 | 75642130 |
| TS Sensor IBC Stat Conf 2G Glass Black | 1 | 75642135 |

75642030



3-gang

| Description | P.U. | Cat ref. |
|---|------|---------------|
| TS Sensor, Glass 3-Gang, Polar White | 1 | 168300 |
| TS Sensor, Glass 3-Gang, Black | 1 | 168305 |
| Glass sensor, 3gan Berker TS Senso glas | 1 | 168309 |
| TS Sensor, 3-Gang, Config, Polar White | 1 | 169300 |
| TS Sensor, 3-Gang, Configured, Black | 1 | 169305 |

168300



3-gang (integrated bus coupler)

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| TS Sensor IBC 3G Comfort, Polar White | 1 | 75143830 |
| TS Sensor IBC 3G Comf Conf Polar White | 1 | 75143930 |

75143830



3-gang with thermostat (integrated bus coupler)

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| TS Sensor IBC Stat 3G Glass Polar White | 1 | 75643030 |
| TS Sensor IBC Stat 3G Glass Aluminium | 1 | 75643034 |
| TS Sensor IBC Stat 3-Gang Glass Black | 1 | 75643035 |
| Glass sensor, 3-gang, with thermosta Be | 1 | 75643039 |
| TS Sensor IBC Stat Conf 3G Glass Pol Whi | 1 | 75643130 |
| TS Sensor IBC Stat Conf 3-Gang Glass Alu | 1 | 75643134 |
| TS Sensor IBC Stat Conf 3G Glass Black | 1 | 75643135 |
| Glass sensor, 3-gang, with thermosta Be | 1 | 75643139 |

75643030



4-gang

| Description | P.U. | Cat ref. |
|---|------|---------------|
| TS Sensor, Glass 4-Gang, Polar White | 1 | 168400 |
| TS Sensor, Glass 4-Gang, Black | 1 | 168405 |
| TS Sensor, Glass 4-Gang, Aluminium | 1 | 168407 |
| Glass sensor, 4gan Berker TS Senso glas | 1 | 168409 |
| TS Sensor, 4-Gang, Config, Polar White | 1 | 169400 |
| TS Sensor, 4-Gang, Configured, Black | 1 | 169405 |


168400



4-gang (integrated bus coupler)

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| TS Sensor IBC 4G Comfort, Polar White | 1 | 75144830 |
| TS Sensor IBC 4G Comf Conf Polar White | 1 | 75144930 |

75144830



75900032

KNX adapter

| Description | P.U. | Cat ref. |
|--------------------------------------|------|-----------------|
| KNX adapter 2 x 8gan Berker TS Senso | 1 | 75900031 |
| Adapter for KNX and Relay TS Sensor | 1 | 75900032 |



1870

Wall box

| Description | P.U. | Cat ref. |
|---|------|-------------|
| Wall Box 2-Gang TS Sensor, Crystal Ball | 1 | 1870 |

Extravagance not only becomes manifest in a grand gesture, but also in perfect detail.



1391

Glass cover plate

| Description | P.U. | Cat ref. |
|--------------------------------------|------|-------------|
| Glass cover plate 1gang TS pw glossy | 1 | 1391 |
| Glass cover plate 2gang TS pw glossy | 1 | 1392 |
| Glass cover plate 3gang TS pw glossy | 1 | 1394 |



1311

Glass cover plate with all-round facette

| Description | P.U. | Cat ref. |
|-------------------------|------|-------------|
| Glass cover plate 1gang | 1 | 1311 |
| Glass cover plate 2gang | 1 | 1321 |
| Glass cover plat 4gang | 1 | 1341 |
| Glass cover plat 6gang | 1 | 1366 |
| Glass cover plate 8gang | 1 | 1388 |



181110

TS push button

| Description | P.U. | Cat ref. |
|-----------------------------------|------|---------------|
| Push-button switc T chrome, glos | 10 | 181110 |
| Push-button switc T gold, gloss | 10 | 181112 |
| Push-button switch T stainless st | 10 | 181113 |



19640001

TS Crystal push button

| Description | P.U. | Cat ref. |
|----------------------------------|------|-----------------|
| Push-button Crysta TS Crysta chr | 1 | 19640001 |
| Push-button Topa TS Crysta gold, | 1 | 19650203 |
| Push-button Sia TS Crysta gold, | 1 | 19650208 |
| Push-button Black Diamon TS Crys | 1 | 19660215 |



189510

TS two-hole screws

| Description | P.U. | Cat ref. |
|----------------------------------|------|---------------|
| Two-hole screws, 2 x M3.5 x 50 m | 1 | 189510 |
| Two-hole screws, 2 x M3.5 x 50 m | 1 | 189513 |



1809

Wall box

| Description | P.U. | Cat ref. |
|---|------|-------------|
| Wall box flush-mounted, oval T | 50 | 1809 |
| Wall bo hollow-wall box, oval T | 50 | 1824 |
| Wall Box 2-Gang TS Sensor, Crystal Ball | 1 | 1870 |

The KNX-Touch Sensor has the same assembly height as the switches in the R.-Design. With its integrated bus coupling unit, a variety of building functions can be read and controlled through it.



1-gang

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| TOUCHSENSOR 1F M BA KONFI GLAS R.1 P-W | 1 | 75141160 |
| TOUCHSENSOR 1F M BA KONFI GLAS R.1 SCHW | 1 | 75141165 |
| TOUCHSENSOR 1F M BA GLAS R.1 P-W | 1 | 75141860 |
| TOUCHSENSOR 1F M BA GLAS R.1 SCHW | 1 | 75141865 |

75141160



2-gang

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| TOUCHSENSOR 2F M BA KONFI GLAS R.1 P-W | 1 | 75142160 |
| TOUCHSENSOR 2F M BA KONFI GLAS R.1 SCHW | 1 | 75142165 |
| TOUCHSENSOR 2F M BA GLAS R.1 P-W | 1 | 75142860 |
| TOUCHSENSOR 2F M BA GLAS R.1 SCHW | 1 | 75142865 |

75142160



2-gang with thermostat

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| TOUCHSENSOR 2F M RTR GLAS R.1 P-W | 1 | 75642060 |
| TOUCHSENSOR 2F M RTR GLAS R.1 SCHW | 1 | 75642065 |
| TOUCHSENSOR 2F M RTR KONFI GLAS R.1 P-W | 1 | 75642160 |
| TOUCHSENSOR 2F M RTR KONFI GLAS R.1 SCHW | 1 | 75642165 |

75642060



3-gang

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| TOUCHSENSOR 3F M BA KONFI GLAS R.1 P-W | 1 | 75143160 |
| TOUCHSENSOR 3F M BA KONFI GLAS R.1 SCHW | 1 | 75143165 |
| TOUCHSENSOR 3F M BA GLAS R.1 P-W | 1 | 75143860 |
| TOUCHSENSOR 3F M BA GLAS R.1 SCHW | 1 | 75143865 |

75143160



3-gang with thermostat

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| TOUCHSENSOR 3F M RTR GLAS R.1 P-W | 1 | 75643060 |
| TOUCHSENSOR 3F M RTR GLAS R.1 SCHW | 1 | 75643065 |
| TOUCHSENSOR 3F M RTR KONFI GLAS R.1 P-W | 1 | 75643160 |
| TOUCHSENSOR 3F M RTR KONFI GLAS R.1 SCHW | 1 | 75643165 |

75643060



75144160

4-gang

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| TOUCHSENSOR 4F M BA KONFI GLAS R.1 P-W | 1 | 75144160 |
| TOUCHSENSOR 4F M BA KONFI GLAS R.1 SCHW | 1 | 75144165 |
| TOUCHSENSOR 4F M BA GLAS R.1 P-W | 1 | 75144860 |
| TOUCHSENSOR 4F M BA GLAS R.1 SCHW | 1 | 75144865 |



1-gang

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| TOUCHSENSOR 1F M BA KONFI GLAS R.3 P-W | 1 | 75141150 |
| TOUCHSENSOR 1F M BA KONFI GLAS R.3 SCHW | 1 | 75141155 |
| TOUCHSENSOR 1F M BA GLAS R3 P-W | 1 | 75141850 |
| TOUCHSENSOR 1F M BA GLAS R3 SCHW | 1 | 75141855 |

75141150



2-gang

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| TOUCHSENSOR 2F M BA KONFI GLAS R.3 P-W | 1 | 75142150 |
| TOUCHSENSOR 2F M BA KONFI GLAS R.3 SCHW | 1 | 75142155 |
| TOUCHSENSOR 2F M BA GLAS R3 P-W | 1 | 75142850 |
| TOUCHSENSOR 2F M BA GLAS R3 SCHW | 1 | 75142855 |

75142150



2-gang with thermostat

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| TOUCHSENSOR 2F M RTR GLAS R3 P-W | 1 | 75642050 |
| TOUCHSENSOR 2F M RTR GLAS R3 SCHW | 1 | 75642055 |
| TOUCHSENSOR 2F M RTR KONFI GLAS R.1 P-W | 1 | 75642150 |
| TOUCHSENSOR 2F M RTR KONFI GLAS R.3 SCHW | 1 | 75642155 |

75642050



3-gang

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| TOUCHSENSOR 3F M BA KONFI GLAS R.3 P-W | 1 | 75143150 |
| TOUCHSENSOR 3F M BA KONFI GLAS R.3 SCHW | 1 | 75143155 |
| TOUCHSENSOR 3F M BA GLAS R3 P-W | 1 | 75143850 |
| TOUCHSENSOR 3F M BA GLAS R3 SCHW | 1 | 75143855 |

75143150



3-gang with thermostat

| Description | P.U. | Cat ref. |
|--|------|-----------------|
| TOUCHSENSOR 3F M RTR GLAS R3 P-W | 1 | 75643050 |
| TOUCHSENSOR 3F M RTR GLAS R3 SCHW | 1 | 75643055 |
| TOUCHSENSOR 3F M RTR KONFI GLAS R.3 P-W | 1 | 75643150 |
| TOUCHSENSOR 3F M RTR KONFI GLAS R.3 SCHW | 1 | 75643155 |

75643050

**4-gang**

| Description | P.U. | Cat ref. |
|---|------|-----------------|
| TOUCHSENSOR 4F M BA KONFI GLAS R.3 P-W | 1 | 75144150 |
| TOUCHSENSOR 4F M BA KONFI GLAS R.3 SCHW | 1 | 75144155 |
| TOUCHSENSOR 4F M BA GLAS R3 P-W | 1 | 75144850 |
| TOUCHSENSOR 4F M BA GLAS R3 SCHW | 1 | 75144855 |

75144150

**Energy meter**

| Description | P.U. | Cat ref. |
|-------------------------------------|------|--------------|
| 3Ph Kwhmeter direct 100A KNX output | 1 | TE360 |
| 3Ph Kwhmeter via CT KNX output | 1 | TE370 |

TE360

**Weather station**

| Description | P.U. | Cat ref. |
|---|------|---------------|
| KNX Weather station GPS | 1 | TG053A |
| Big support for TG053 weather station | 1 | TG353 |
| Small support for TG053 weather station | 1 | TG354 |

TG053A

**Presence detector**

| Description | P.U. | Cat ref. |
|------------------------|------|----------------|
| Presence det. 360° KNX | 1 | TCC510S |

TCC510S



TH001

IR remote control

| Description | P.U. | Cat ref. |
|-----------------------|------|--------------|
| Modular RS232 | 1 | TH001 |
| Modular USB interface | 1 | TH101 |



Sensor-insert

| Description | P.U. | Cat ref. |
|---------------------------------------|------|-----------------|
| Centre Plate for Sensor Insert, White | 1 | 75940489 |

75940489



TH001

EIB BUS cable

| Description | P.U. | Cat ref. |
|---------------|------|--------------|
| Modular RS232 | 1 | TH001 |



TH101

Interface and software

| Description | P.U. | Cat ref. |
|-----------------------|------|--------------|
| Modular USB interface | 1 | TH101 |